

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2125790-4
Report Reference E511334-20210507
Date 6-Sep-2023

Issued to: Shanghai Chipanalog Microelectronics Co Ltd
2nd floor Block C, Beidou Industrial Park of
Xihongqiao, NO.599 Gaojing Road, Qingpu District
Shanghai, Shanghai Shi 201702
China

This is to certify that representative samples of FPPT2 - Nonoptical Isolating Devices - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2125790-4
Report Reference E511334-20210507
Date 6-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CA-IS2062A	Single protection non-optical isolators at 2500 Vac isolation voltage
CA-IS2062SW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2062VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2062W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2092A	Single protection non-optical isolators at 2500 Vac isolation voltage
CA-IS2092SW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2092VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2092W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2631HA	Single protection non-optical isolators at 2500 Vac isolation voltage
CA-IS3062VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3062W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3090T	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3090W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3092VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3092W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3096T	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3096W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3098VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3098W	Single protection non-optical isolators at 5000 Vac isolation voltage

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2125790-4
Report Reference E511334-20210507
Date 6-Sep-2023

CA-IS3620HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3620LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3621HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3621LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3622HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3622LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3644HVW	Single protection non-optical isolators at 5000 Vac isolation voltage


Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2125790-4
Report Reference E511334-20210507
Date 6-Sep-2023

CA-IS3644HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3644LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3644LW	Single protection non-optical isolators at 5000 Vac isolation voltage

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2121166-4
Report Reference E511334-20210507
Date 6-Sep-2023

Issued to: Shanghai Chipanalog Microelectronics Co Ltd
2nd floor Block C, Beidou Industrial Park of
Xihongqiao, NO.599 Gaojing Road, Qingpu District
Shanghai, Shanghai Shi 201702
China

This is to certify that representative samples of FPPT8 - Nonoptical Isolating Devices Certified for Canada - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CSA Component Acceptance Service Notice No. 5A, Issue Date: 1998-01-23

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2121166-4
Report Reference E511334-20210507
Date 6-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CA-IS2062A	Single protection non-optical isolators at 2500 Vac isolation voltage
CA-IS2062SW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2062VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2062W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2092A	Single protection non-optical isolators at 2500 Vac isolation voltage
CA-IS2092SW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2092VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2092W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS2631HA	Single protection non-optical isolators at 2500 Vac isolation voltage
CA-IS3062VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3062W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3090T	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3090W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3092VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3092W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3096T	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3096W	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3098VW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3098W	Single protection non-optical isolators at 5000 Vac isolation voltage


Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2121166-4
Report Reference E511334-20210507
Date 6-Sep-2023

CA-IS3620HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3620LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3621HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3621LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3622HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3622LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3640LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3641LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3642LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643HVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3643LW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3644HVW	Single protection non-optical isolators at 5000 Vac isolation voltage


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2121166-4
Report Reference E511334-20210507
Date 6-Sep-2023

CA-IS3644HW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3644LVW	Single protection non-optical isolators at 5000 Vac isolation voltage
CA-IS3644LW	Single protection non-optical isolators at 5000 Vac isolation voltage

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

