

Certificate of Compliance

Certificate Number:

UL-US-2439042-0

Report Reference:

E511334-20241004

Issue Date:

2024-10-03

Issued to:

Shanghai Chipanalog Microelectronics Co Ltd 2nd floor Block C, Beidou Industrial Park of Xihongqiao,NO.599 Gaojing Road,Qingpu District Shanghai 201702 China

This certificate confirms that representative samples of:

FPPT2 - Nonoptical Isolating Devices - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

CERTIFICATE OF COMPLIANCE

 Certificate number
 UL-US-2439042-0

 Report reference
 E511334-20241004

Date 2024-10-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
CA-IS3211Cx (DUB8 Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3211Cx (SOIC6-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3211Cx (SOIC8-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3213x, where x maybe any alphanumeric character	Single protection non-optical isolators at
or blank.	5700 Vac isolation voltage
CA-IS3221Cx (SOIC14-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3221Cx (SOIC16-NB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	3750 Vac isolation voltage
CA-IS3221Cx (SOIC16-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3222Cx (SOIC14-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3222Cx (SOIC16-NB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3222Cx (SOIC16-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage





Certificate of Compliance

Certificate Number:

UL-CA-2429772-0

Report Reference:

E511334-20241004

Issue Date:

2024-10-03

Issued to:

Shanghai Chipanalog Microelectronics Co Ltd 2nd floor Block C, Beidou Industrial Park of Xihongqiao,NO.599 Gaojing Road,Qingpu District Shanghai 201702 China

This certificate confirms that representative samples of:

FPPT8 - Nonoptical Isolating Devices Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA Component Acceptance Service Notice No. 5A, Issue Date: 1998-01-23

Additional Information:

See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch

UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2429772-0 Report reference E511334-20241004

Date 2024-10-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
CA-IS3211Cx (DUB8 Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3211Cx (SOIC6-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3211Cx (SOIC8-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3213x, where x maybe any alphanumeric character	Single protection non-optical isolators at
or blank.	5700 Vac isolation voltage
CA-IS3221Cx (SOIC14-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3221Cx (SOIC16-NB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	3750 Vac isolation voltage
CA-IS3221Cx (SOIC16-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3222Cx (SOIC14-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3222Cx (SOIC16-NB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage
CA-IS3222Cx (SOIC16-WB Pkg), where x maybe any	Single protection non-optical isolators at
alphanumeric character or blank.	5700 Vac isolation voltage

